EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S22	30	moldflow.as.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/03 16:09

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	"3,977,255".pn. "4,387,655".pn. "4,504,920".pn. "4,534,003".pn. "4,641,270".pn. "4,676,664".pn. "4,868,751".pn. "4,989,166".pn. "5,031,108".pn. "5,031,127".pn. "5,035,598".pn. "5,072,782".pn. "5,097,431".pn. "5,097,432".pn. "5,146,086".pn. "5,189,626".pn. "5,311,932".pn. "5,350,547".pn. "5,377,119".pn. "5,408,638".pn. "5,543,093".pn. "5,549,857".pn. "5,572,434".pn. "5,581,468".pn.	USPAT	OR	OFF	2008/02/04 16:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	15	"5,700,406".pn. "5,760,779".pn. "5,811,133".pn. "5,812,402".pn. "5,835,379".pn. "5,989,473".pn. "6,021,270".pn. "6,077,472".pn. "6,089,744".pn. "6,096,088".pn. "6,161,057".pn. "6,180,201".pn. "6,192,327".pn. "6,248,103".pn. "6,327,553".pn.	USPAT	OR	OFF	2008/02/04 16:22

Web Scholar Results **1** - **10** of about **405,000** for **morphology polymer physical properties**. (**0.26** seconds)

Scholarly articles for **morphology polymer physical properties**

Compatibilizing agents in **polymer** blends: interfacial ... - CHEN - Cited by 58
Physical Properties of Polymers - Mark - Cited by 325
Morphology of **polymer**/silicate nanocomposites - Jeon - Cited by 110

Mechanical **Properties** of **Polymers** based on Nanostructure and ...
Mechanical **Properties** of **Polymers** Based on Nanostructure and **Morphology** presents effective ways to combine improved mechanical and **physical properties** in ...
www.nanoscienceworks.org/publications/books/import2/1574447718 - 31k - Cached - Similar pages

Polymer : Mechanical **properties**, **morphology** and molecular ...
The processing condition is also a factor that is used to control **morphology**, which in turn will affect the mechanical **properties** of **polymer** blends. ...
linkinghub.elsevier.com/retrieve/pii/S0032386107006763 - Similar pages

Mechanical **Properties** versus **Morphology** of Ordered **Polymers** ...
Morphological techniques in conjunction with mechanical testing have been used to elucidate the relationships between mechanical **properties** and sample ...
stinet.dtic.mil/oai/oai?verb=getRecord&metadataPrefix=html&identifier=ADA120709 - 5k - Cached - Similar pages

Morphology and Mechanical **Properties** of Nylon-1010-filled Rigid ...
Morphology and Mechanical **Properties** of Nylon-1010-filled Rigid Polyurethane Foams. Bo Yin. College of **Polymer** Science and Engineering State Key Laboratory ...
jep.sagepub.com/cgi/content/abstract/36/4/333 - Similar pages

IngentaConnect **Morphology** and mechanical **properties** of **polymer** ...
Morphology and mechanical **properties** of **polymer** surfaces via scanning force microscopy. Authors: Kajiyama T.; Tanaka K.; Ge S.-R.; Takahara A. ...
www.ingentaconnect.com/content/els/00796816/1996/00000052/00000001/art00006 - Similar pages

Polycrystalline conducting **polymers** and precursors thereof having ...
Polycrystalline conducting **polymers** and precursors thereof having adjustable **morphology** and **physical properties** - US Patent 5932143 from Patent Storm.
www.patentstorm.us/patents/5932143-description.html - 49k - Cached - Similar pages

Polycrystalline conducting **polymers** and precursors thereof having ...
The **morphology** of a **polymer** is very important in determining the **polymer's physical**, mechanical, and electronic **properties**. Polyaniline base films processed ...
www.freepatentsonline.com/5932143.html - 51k - Cached - Similar pages

Morphology and Mechanical **Properties** of Blends of Polycarbonate ...

Morphology and Mechanical **Properties** of Blends of Polycarbonate and Segmented Copolyetherester. from **Polymer** Engineering and Science in Technology provided ...